

H&R BIKE



BIKE PERFORMANCE SPRINGS

- Renowned motorsport technology for your bike
- Uncompromising lightweight design
- Ultra high tension material
- 100% Made in Germany

EXCEPTIONAL PERFORMANCE

NO COMPROMISE, LIGHT AS A FEATHER!



Depending on the spring geometry, the **weight reduction can be up to 30%.**

Ultra-light springs for your bike German Engineering

The new H&R Bike Performance Springs promise weight loss in the truest sense of the word - without dieting! A new and extremely light steel alloy makes it possible to combine durability, performance and extremely light weight in one spring.

Available in all common spring rates and for shocks with a stroke of 65 mm and 75 mm, the shock and bike can be customised to the rider's wishes and requirements.

H&R Bike Performance Springs
are 100% Made in Germany!



OVER 40 YEARS OF EXPERIENCE

RENOWNED MOTORSPORT TECHNOLOGY FOR YOUR BIKE

Trust in our experience from top motorsport

H&R Bike Performance Springs are characterised by uncompromising lightweight construction, exceptional durability and breath-taking performance. Our decades of expertise from top international motorsport flow directly into the development of your bike spring.

Experience a performance you can feel!



conventional
Bike Spring

The new H&R Bike
Performance Spring

*The weight saving of a spring with 65 mm stroke and 700 lb rate



65mm Stroke

Part number	Rate	Free length	approx. weight
HRB-65-350	350 lbs	105,00 mm	223 g
HRB-65-375	375 lbs	107,00 mm	248 g
HRB-65-400	400 lbs	110,00 mm	277 g
HRB-65-425	425 lbs	108,00 mm	265 g
HRB-65-450	450 lbs	106,00 mm	253 g
HRB-65-475	475 lbs	110,00 mm	286 g
HRB-65-500	500 lbs	108,00 mm	274 g
HRB-65-525	525 lbs	112,00 mm	309 g
HRB-65-550	550 lbs	110,00 mm	297 g
HRB-65-575	575 lbs	114,00 mm	335 g
HRB-65-600	600 lbs	112,00 mm	323 g
HRB-65-625	625 lbs	116,00 mm	363 g
HRB-65-650	650 lbs	114,00 mm	352 g
HRB-65-675	675 lbs	118,00 mm	394 g
HRB-65-700	700 lbs	117,00 mm	383 g
HRB-65-725	725 lbs	121,00 mm	429 g
HRB-65-750	750 lbs	119,00 mm	417 g
HRB-65-775	775 lbs	124,00 mm	466 g
HRB-65-800	800 lbs	123,00 mm	453 g

75mm Stroke

Part number	Rate	Free length	approx. weight
HRB-75-300	300 lbs	118,00 mm	255 g
HRB-75-325	325 lbs	121,00 mm	283 g
HRB-75-350	350 lbs	124,00 mm	318 g
HRB-75-375	375 lbs	122,00 mm	295 g
HRB-75-400	400 lbs	119,00 mm	279 g
HRB-75-425	425 lbs	129,00 mm	369 g
HRB-75-450	450 lbs	126,00 mm	351 g
HRB-75-475	475 lbs	124,00 mm	336 g
HRB-75-500	500 lbs	128,00 mm	376 g
HRB-75-525	525 lbs	126,00 mm	361 g
HRB-75-550	550 lbs	130,00 mm	404 g
HRB-75-575	575 lbs	134,00 mm	452 g
HRB-75-600	600 lbs	132,00 mm	436 g



H&R  [®] **BIKE**

H&R Spezialfedern GmbH & Co. KG
Elsper Straße 36, 57368 Lennestadt | Germany
Phone: +49 (2721) 92600
Telefax: +49 (2721) 10708
Email: info@h-r.com